

Chip Common Mode Line Filte ACM-**SP Series


Product Identification:

ACM - 3225 SP - 200
(1) (2) (3) (4)



- (1) Series
- (2) Dimensions(L*H)
- (3) Type
- (4) Impedance(200=20Ω, 201=200Ω, 202=2000Ω)

DIMENSIONS DRAWING:



Shape and Dimensions						Recommended Pattern			
TYPE	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)	F(mm)	G(mm)	H(mm)	I(mm)
ACM-3225SP	3.2±0.2	2.5±0.2	2.2±0.2	0.9Typ	0.8Typ	0.6Typ	3.5Typ	1.6Typ	4.4Typ

Chip Common Mode Line Filte ACM - 3225SP Series

ELECTRICAL CHARACTERISTIC:

Part Number	Impedance (Ω@100MHz)	DCR (Ω) Max.	Rated Current (A)Max.	Rated Volt. (Vdc)Max.	IR (Ω) min.
ACM-3225SP-900	90 ±25%	0.06	3.0	50	10M
ACM-3225SP-201	200 ±25%	0.08	2.0	50	10M
ACM-3225SP-501	500 ±25%	0.08	2.0	50	10M
ACM-3225SP-102	1000 ±25%	0.10	1.5	50	10M

(1).Rated Current: Temp.rise 40°C Typ

(2).Operating Temperature: -40°C up to +125°C

Chip Common Mode Line Filte ACM - 3225SP Series

CHARACTERISTICS(REFERENCE)

